

List of terms

The following terms or mnemonics are used in this document:

ARLI

Alternate Route List Index

ARRN

Alternate Routing Remote Number

BARS

Basic Alternate Route Selection

CDP

Coordinated Dialing Plan

DASS

Digital Access Signalling System

DASS2

Digital Access Signaling System 2

DPNSS

Digital Private Network Signalling System

DPNSS1

Digital Private Network Signaling System 1

DDI

Direct Dialing Inward

DID	Direct Inward Dialing
DDD	Direct Distant Dialing
DMI	Digit Manipulation Index
DSC	Distant Steering Code
ESN	Electronic Switched Network
FLEN	Flexible Length
FNP	Flexible Numbering Plan
FPE	Flexible Numbering Plan Enhancement
FSNS	Free Special Number Screening
GDP	Group Dialing Plan
IDA	Integrated Digital Access
IDC	Incoming DID Digit Conversion
IDT	Interdigit Timer

ITED	Incoming Trunk Exclusion Codes
ITOH	Inhibit Time Out Handler
LOC	Location Code
LSC	Local Steering Code
NARS	Network Alternate Route Selection
NCDP	Number of Coordinated Dialing Plan digits
NCOS	Network Class Of Service
NFCR	New Flexible Code Restriction
NIT	Network Interdigit Timer
NPA	Numbering Plan Area code
NXX	Central Office or Public Exchange code
off-net	Off-network
on-net	On-network

PSTN

Public Service Telephone Network

RLB

Route List Block

RLI

Route List Index

SDRR

Special Digit Restriction or Recognition

SPN

Special Number

TNDN

Transferable Directory Number

TSC

Trunk Steering Code

UDP

Uniform Dialing Plan

UNP

Universal Numbering Plan

XXX

Routing Code

Meridian 1

Flexible Numbering Plan

Description, operation, and
administration

© 1994, 1997 Northern Telecom

All rights reserved

Information is subject to change without notice.

Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules, and the radio interference regulations of Industry Canada. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense.

SL-1 and Meridian 1 are trademarks of Northern Telecom.

Publication number: 553-2751-105

Document release: Standard 5.00

Date: October 1997

Printed in Canada

NORTEL

NORTHERN TELECOM